


-- **FG-797**


Name: FLAT BED HIGH SPEED CHAINSTITCH MACHINE WITH  
BINDER AND TOP COVER THREAD  
Type: FG-797




Description:




特殊設計無段式單鈕觸控，可任意調整縫目長度。  
Stepless adjustments with only one push button.  
Changing stitch length with only one push button !  
A push button stopper is applied to prevent  
careless changes to the stitch length.





簡易式差動調整裝置，操作容易。  
A differential lever has greatly simplified its outside  
mechanism. Moving the differential lever up and  
down, then you can make the material travel  
forwards and backwards. Moreover, a chain has  
connected the joint lever, and moving the lever is  
also possible during operation.



新型底線供給機構，可隨心所欲，高低操作穿線。  
 New design Looper Take-Up device for easy threading and free from thread tangled.










配備改良型喇叭，使滾邊作業快速容易。更換配件，亦可做一般繙縫，拷下擺，壓骨等作業。  
 Tape binder is easily adjusted to ensure smooth and fast tape binding operation.  
 The model can easily be converted into standard Cylinder Interlock Machine for hemming, seam covering and etc.




機器配有SP及HP針線冷卻裝置，使特殊線材車縫無斷線、跳針、燒線等現象，車縫品質優良。  
 Polyester fabric can be equally done.

In order to rule out the troubles in thread break, stitch loss, and eye area, while working on polyester fabric, an HR device (for needle cooling ) and an SP device (for needle and thread lubrication) are equipped as standard functions in all models. You may well feel carefree in working on polyester fabric.

MODEL			 mm	 mm	 mm		 s.p.m.
FG-797-240	2	3	1.4	4.0	5.5	0.8	6000
FG-797-248	2	3	}	4.8	}		
FG-797-356	3	5		5.6			
FG-797-364	3	5	4.5	6.4	7.0	1.4	





滾條切刀組可完美搭配高速三本車滾邊  
作業。

Accurate Tape Cutter ensures  
neat-finished cutting.