


-- **FG-798**

Name:FLAT BED HIGH SPEED CHAINSTITCH MACHINE


Type:FG -798




Description:




精細牛角設計，使壓骨作業堅固完美。
Fabric Guide with state-of-the-art design is easy
for perfect seam covering operation.
Various types are available according to seam
style.





裝配穩固的摺下擺器使車縫下擺作業快速，摺縫布
邊平整美觀。
The Hemming Folder is with user-friendly design
and easy adjustment.
Neat and fast hemming operation can be obtained.




特殊設計無段式單鈕觸控，可任意調整縫目長度。
 Stepless adjustments with only one push button.
 Changing stitch length with only one push button!
 A push button stopper is applied to prevent careless changes to the stitch length.










簡易式差動調整裝置，操作容易。
 A differential lever has greatly simplified its outside mechanism. Moving the differential lever up and down, then you can make the material travel forwards and backwards. Moreover, a chain has connected the joint lever, and moving the lever is also possible during operation.



機器配有SP及HP針線冷卻裝置，使特殊線材車縫無斷線、跳針、燒線等現象，車縫品質優良。
 Polyester fabric can be equally done. In order to rule out the troubles in thread break, stitch loss, and eye area, while working on polyester fabric, an HR device (for needle cooling) and an SP device (for needle and thread lubrication) are equipped as standard functions in all models. You may well feel carefree in working on polyester fabric.



新型底線供給機構，可隨心所欲，高低操作穿線。
 New design Loooper Take-Up device for easy threading and free from thread tangled.

MODEL			 mm	 mm	 mm		 s.p.m
<i>FG-798-240</i>	2	3	1.4	4.0	5.5	0.8	6000
<i>FG-798-248</i>	2	3	}	4.8	}		
<i>FG-798-356</i>	3	5		5.6			
<i>FG-798-364</i>	3	5	4.5	6.4	7.0	1.4	

